FHWA Highway Statistics VM-1 Data Procedure FHWA-PL-11-031

Travel Monitoring and Surveys Division
Office of Highway Policy Information
Federal Highway Administration
1200 New Jersey Avenue, SE
Washington, DC 20590

Originally Developed - August 2011 Updated - March 2019 This document is intended to provide the procedures and steps used in the development of the FHWA Highway Statistics VM-1 publication. The document has 4 components as defined below.

Component 1: Approaches to Compute National VMT by Roadway Functional Class Group and Vehicle Types

Component 2: Reconciling National Vehicle Registration Data Based on Axle Spacing and Tire Arrangements

Component 3: Vehicle Occupancy Factor Computation

Component 4: Fuel Efficiency Modeling

Component 1

Approaches to Compute National VMT by Roadway Functional Class Groups and Vehicle Types

Background

Prior to the 2009 Highway Statistics, vehicle miles traveled (VMT) related data elements in table VM-1 were based on a modeling procedure with initial inputs from the Highway Performance and Monitoring System (HPMS) data and constrictions established from the Vehicle Inventory and Use Survey (VIUS) data. It has been noticed that VMT by vehicle type and roadway functional class data under this historical procedure were drifting away from what is being reported through the HPMS system. When the original historical modeling method was developed (early 1990s), the modeling logic was necessary due to potential field traffic data quality issues and the availability of the Vehicle Inventory and Use Survey (VIUS) data. However, with the advancement in traffic data collection instruments, implementation of institutionalized processes and procedures by State highway agencies in data collection, practical experience gained in traffic data collection, and the discontinuation of the VIUS (the last one was carried out in 2002), the original modeling method is deemed no longer appropriate. In addition, to reflect rapid changes in economic conditions, and goods movement and passenger travel pattern changes, the reported data from State highway agencies without being further modeled will be more logical and timely.

The proposed new procedure retires the original methodology (used for 2008 and prior years) and applies to all post-2008 VM-1s.

New Method

Step 1

Obtain both VM-4 and VM-2 data from the HPMS system (sample attached). These data should have already passed the HPMS's data quality review.

Step 2

A: Conduct independent data quality review on both datasets in areas of growth rate and percent (%) changes from past years by using growth trend data from both the HPMS and the Travel Monitoring and Analysis System (TMAS system). 5% or higher changes from past year shall serve as an indicator that more in-depth analysis shall be conducted to determine data quality concerns.

B: Both roadway centerline and lane lengths by functional classes shall be reviewed, compared, and contrasted with the VMT data at the State level geography. If issues are identified, inquiries to responsible State highway agencies shall be made in coordination through the HPMS division.

C: Attempts must be made to secure missing values from State highway agencies first. When such an attempt is determined to be not feasible for timeliness, a simple arithmetic average for the parameter from neighboring Counties or States can be used in place of the missing value. However, the actual value shall be obtained from State highway agencies within 6 months from issue discovery and appropriate modification shall be made to any published data accordingly to data release schedules.

Step 3

For a given State, once the VM-4 and VM-2 data have passed the data quality check, the VM-2 data can be split further by multiplying all corresponding cells from the corresponding VM-4.

Final VMT by the five roadway functional classes (rural interstate, other rural arterial, other rural, urban interstate and other urban) and six vehicle classes (light-duty vehicle - Short Wheelbase, motorcycles, buses, light-duty vehicle - Long Wheelbase, single unit truck, and combination truck) can be computed by simply aggregating the multiplication results.

Step 4

Once data from all States and the District of Columbia are processed through Step 3, a simple addition of all corresponding VMT categories for all States will deliver the national VMT by roadway functional class and vehicle types

Step 5

Before publishing the VM-1 VMT data, coordinate with the HPMS division ensuring VM-1 is consistent with VM-1 and VM-3.

Sample VM-2 Data Table from HPMS

JANUARY 2011	(MILLIONS)								TABLE VM-2								
				RURAL								URBAN					
		OTHER	OTHER							OTHER	OTHER						
STATE	INTERSTATE	FREEWAYS AND	PRINCIPAL	MINOR	MAJOR	MINOR	LOCAL	TOTAL	INTERSTATE	FREEWAYS AND	PRINCIPAL	MINOR	MAJOR	MINOR	LOCAL	TOTAL	TOTAL
		EXPRESSWAYS	ARTERIAL	ARTERIAL	COLLECTOR	COLLECTOR				EXPRESSWAYS	ARTERIAL	ARTERIAL	COLLECTOR	COLLECTOR			
Alabama 2/	5,382		6,271	4,552	3,984	1,656	6,723	28,567	7,199	500	6,604	3,982	1,832		7,377	27,494	56,061
Alaska	860		308	121	456	151	420	2,316	663		484	835	343		292	2,617	4,933
Arizona 3/	6,966		2,786	2,323	2,737	516	2,913	18,241	5,920	7,404	12,568	8,015	3,109		6,371	43,387	61,628
Arkansas	4,204	525	3,982	2,915	4,267	752	2,035	18,679	3,985	974	3,514	3,123	1,438	20	1,486	14,540	33,219
California Colorado	17,541		16,324	8,982	9,828	2,655	2,873	58,203	68,191	54,324	58,983 8,907	48,798	18,485		17,502	266,283 31,711	324,486
Connecticut	4,287 718		3,892 811	2,499 487	1,704 1,025	728 154	1,456 776	14,565 3,971	7,260 9,562	4,313 3,881	3,724	5,345 5,190	2,719 2,536		3,167 2,556	27,449	46,276 31,420
Delaware			1,330	270	614	108	420	2,742	1,230	443	1,801	968	756		1,140	6,338	9,080
Dist. of Columbia	-		-	-	-	-	-	-	431	353	1,053	740	297		734	3,608	3,608
Florida	9,505	1,902	8,113	4,191	3,693	1,790	6,419	35,612	24,269	12,280	38,822	28,607	20,420		34,649	159,048	194,659
Georgia	9,671		6,067	6,531	5,950	1,753	8,709	38,681	19,203	2,916	12,425	15,480	4,876		15,677	70,577	109,258
Hawaii	113		525	624	285	34	842	2,423	1,786	513	1,877	693	923		1,758	7,550	9,973
Idaho	2,193		2,179	1,069	1,441	243	2,338	9,463	1,291	-	2,083	1,301	456		937	6,068	15,531
Illinois Indiana 4/	8,844 7,014		3,821 4,654	4,652 3,334	5,450 6,731	418 1,916	3,896 4,925	27,081 28,574	22,670 9,712	1,196 1,304	21,040 10,626	15,561 7,673	8,574 6,087		9,724 12,652	78,765 48,054	105,846 76,628
lowa	4,679		5,617	2.619	3,407	871	1,561	18,754	2,529	1,304	3,593	3,262	1,027		1.900	12,311	31,065
Kansas	3,167		4,390	2,247	2,716	253	1,680	14,454	3,613	1,775	3,598	2,927	1,184		1,948	15,045	29,499
Kentucky	6,592		7,006	2,867	4,941	2,408	3,493	27,307	5,951	792	5,679	3,612	1,708		2,306	20,048	47,355
Louisiana	5,416		2,503	2,991	4,326	1,484	2,639	19,359	7,187	560	7,521	6,024	2,810		1,402	25,504	44,863
Maine	2,171		1,890	1,745	2,351	855	1,430	10,442	805	156	742	950	971		425	4,049	14,491
Maryland	3,539		3,464	2,208	1,994	1,245	1,641	14,091	13,426	5,555	9,905	6,029	3,308		2,979	41,202	55,293
Massachusetts	1,373		786	589	690	155	691	4,284	15,098	5,687	10,815	8,678	2,855		7,395	50,528	54,812
Michigan Minnesota	5,276 4,165	5	6,760 7,282	7,034 4,931	9,042 4,266	957 1,346	2,375 2,583	31,444 24,578	15,389 8,411	5,457 3,593	16,892 4.554	15,815 8,691	4,890 2,601	5	6,882 4,439	65,325 32,294	96,769 56,872
Mississippi	3,838	3	5,470	3,633	4,263	479	6,486	24,070	3,386	489	5,142	2,355	1,639		3,247	16,258	40,427
Missouri	5,951		8,206	3,595	5,029	676	5,557	29,014	12,126	4,801	7.068	5,238	2,810		7.946	39.989	69,003
Montana	2,427		2,261	1 137	1,152	374	983	8,334	360		971	524	243		579	2,677	11,011
Nebraska	2,575		3,153	2,423	1,537	241	1,069	10,998	1,364	503	2,688	2,141	582		1,083	8,361	19,359
Nevada	1,959		1,486	512	458	155	522	5,092	3,407	1,759	2,575	3,934	1,104		2,583	15,362	20,454
New Hampshire	1,261	311	1,090	964	1,102	575	399	5,701	1,569	940	1,265	1,854	918		727	7,274	12,975
New Jersey New Mexico	1,589 4.383		1,819 3.154	795 1.582	1,162 1,177	299 597	574 3.870	6,238 14,763	13,506 2.682	11,630 21	16,242 4,177	11,123 1,524	5,024 1,229		9,266 1,617	66,791 11,250	73,029 26,013
New York	6,088		3,807	4,800	4,213	9,424	4,631	32,963	20,440	16.882	19,071	20,659	8,817		1,617	100,528	133,491
North Carolina 5/	6,133	38	7,567	5,306	8,842	3,459	7,847	39,193	14,579	5,751	12,578	12,009	5,495	29	14,626	65,067	104,260
North Dakota	1,465		1,787	729	1,043	-	883	5,907	395	- '	677	551	236		388	2,247	8,154
Ohio	8,991	-	6,349	4,327	8,898	1,984	5,819	36,367	22,170	5,414	12,606	13,346	7,732		13,006	74,275	110,642
Oklahoma	5,088	-	4,955	2,878	5,599	180	2,746	21,444	4,761	2,741	5,631	5,544	1,278		5,598	25,553	46,997
Oregon	4,239		4,457	2,083	2,260	592	1,472	15,103	4,447	1,357	4,906	3,668	2,322		2,169	18,869	33,972
Pennsylvania 6/ Rhode Island	10,373 404	1,986	4,301 128	7,039 134	4,552 148	2,166 36	7,342 23	37,759 873	14,004 1,742	6,246 1.237	17,082 2,154	13,001 1,177	8,084 777		7,704 290	66,121 7,377	103,880 8,250
South Carolina	7,411		3,482	5.000	5,743	295	2,321	24,252	5,989	838	7,294	5,245	3,436		2,076	24.878	49,130
South Dakota	1,999		1,669	1.040	934	122	588	6,352	616	38	592	1,433	245		331	3,254	9,607
Tennessee	8,733		5,396	5,113	2,977	2,764	3,132	28,115	11,729	1,978	10,820	8,199	2,961		6,424	42,111	70,226
Texas	14,869		19,960	11,596	12,929	2,620	5,630	67,604	39,269	30,135	37,120	29,051	17,627		9,605	162,807	230,411
Utah	3,167		1,680	864	969	226	1,039	7,945	5,993	310	3,079	3,454	1,456		4,027	18,319	26,264
Vermont	1,202		701	1,036	1,536	218 560	1,086	5,779	365	71	424	387	247		373 5.621	1,867	7,646
Virginia Washington	9,029 4.514		6,135 4,058	5,366 1,991	5,420 3,857	1,099	3,421 1,168	29,931 16,687	14,962 10,793	3,856 5,238	12,188 8,721	10,336 7,415	4,033 3,187		5,621 4,376	50,996 39.730	80,927 56.417
West Virginia	2.867		2,499	1.501	3,012	365	1,168	11,302	2,789	0,238	1,976	2,189	5,167		4,370 580	8,304	19,606
Wisconsin	5,173	1,607	7,029	5,178	5,361	1,219	2,044	27,611	5,267	4.133	10,289	6,723	2,227		1,907	30,546	58,157
Wyoming	2,470	,	1,697	636	728	726	642	6,899	472	10	773	340	517		557	2,669	9,568
U.S. Total	241,873	6,373	215,057	151,038	176,799	53,899	135,189	980,227	474,963	220,434	455,918	375,719	179,122	54	267,064	1,973,274	2,953,501
Puerto Rico	488		182	271	139	144	96	1,320	5,191	1,064	3,690	3,560	2,271		1,944	17,720	19,040
Grand Total	242,361	6,373	215,239	151,309	176,938	54,043	135,285	981,547	480,154	221,498	459,608	379,279	181,393	54	269,008	1,990,994	2,972,541
For footnotes, see Foo	tnotes Pages.																

Sample VM-4 Data

MAY 2011																				SH	HEET 1 OF 2
			IN	TERSTATE	SYSTEM						OTHER AR	TERIALS						OTHE	R		
STATE	MOTOR-	PASSENGER	LIGHT		SINGLE-UNIT	COMBINATION		MOTOR-	PASSENGER	LIGHT		SINGLE-UNIT	COMBINATION		MOTOR-	PASSENGER	LIGHT		SINGLE-UNIT	COMBINATION	í I
	CYCLES	CARS	TRUCKS	BUSES	TRUCKS	TRUCKS	TOTAL	CYCLES	CARS	TRUCKS	BUSES	TRUCKS	TRUCKS	TOTAL	CYCLES	CARS	TRUCKS	BUSES	TRUCKS	TRUCKS	TOTAL
Alabama 2/	0.6	58.1	17.5	0.4	7.4	15.9	99.9	0.8	54.5	28.1	2.4	5.7	8.5	100.0	1.5	67.2	21.2	1.9	4.1	4.0	99.9
Alaska	0.3	56.3	30.9	0.2	9.5	2.8	100.0	0.2	57.2	32.8		8.9		100.0	0.1	61.1	32.2	0.1	6.3	0.3	100.1
Arizona 2/	0.7	51.3	17.9	0.4	6.1	23.6	100.0	3.0	55.3	27.1	0.8	6.7		100.0	2.3	54.0	29.3	0.8	8.2	5.4	100.0
Arkansas	0.0	43.0	20.0	1.0	3.0	33.0	100.0	1.0	57.0	29.0	1.0	2.0			1.0	58.0	31.0	0.0	2.0	7.0	99.0
California	0.4	66.3	19.0	0.2	3.8	10.3	100.0	1.4	64.8	23.7	0.1	4.2			2.2		32.6	3.3	6.6	13.2	100.0
Colorado	0.0	70.0	19.0	0.0	2.0	9.0	100.0	1.0	67.0	28.0		2.0			2.0	51.0		1.0	4.0	4.0	101.0
Connecticut Delaware	0.0	73.1	14.5	0.3	3.7	8.4	100.0	1.0	73.0 73.9	20.1 15.7	0.1 0.7	3.1	2.7 5.1	100.0 100.0	1.4 0.9	74.8 70.5		0.0	2.1 2.6	0.8 1.5	100.0 100.0
Dist. of Columbia	-		-			- :	-	0.0	13.8	10.7	0.7	4.0	3.1	100.0	- 0.8	70.5	24.2	0.3	- 2.0	1.0	100.0
Florida	0.3	60.8	20.8	0.6	4.1	13.4	100.0	0.6	61.3	25.5	0.4	5.0	7.1	100.0	0.7	60.8	28.0	0.6	4.5	5.5	100.0
Georgia	0.4	61.1	16.7	0.7	3.0	18.1	100.0	0.5	67.1	22.5		4.0			0.8	68.9		0.5	4.1	2.6	100.0
Hawaii	0.5	79.4	14.9	0.2	2.6	2.4	100.0	0.8	82.3	13.0	0.6	2.2		100.0	1.0	71.8	25.0	0.3	1.4	0.5	100.0
Idaho	0.4	36.5	28.7	0.3	4.6	29.5	100.0	1.0	45.3	40.2		7.2			0.9	44.3	41.0	0.2	6.7	7.0	100.0
Illinois	0.7	61.7	8.5	1.0	3.2	24.9	100.0	0.7	79.1	7.9	0.6	3.9	7.9		0.9			1.0	4.0	3.3	100.0
Indiana	0.4	49.6	15.3	1.0	3.1	30.6	100.0	0.8	59.4	22.7		4.2			1.0	65.8		0.4	3.8	3.8	100.0
lowa	0.5	49.4	10.7	0.7	2.2		100.0	1.0	56.8	21.1	1.0	6.1	14.0		1.1	64.3	23.8	0.8	4.8	5.3	100.1
Kansas	1.0	55.0	19.0	0.0	3.0	22.0	100.0	1.0	59.0	25.0		3.0			1.0	57.0	31.0	0.0	4.0	7.0	100.0
Kentucky	0.5	63.2	11.4	0.9	2.5		100.0	1.1	64.2	21.2		5.6			1.0			0.9	5.4	3.3	99.9
Louisiana	0.2	56.3	20.2	0.4	6.0	16.9	100.0	0.2	54.2	26.5		7.8			0.2			0.8	6.9	6.7	100.0
Maine	0.3	66.1	19.7	0.2	4.2	9.5 9.8	100.0	0.7	70.1	19.4	0.6	4.8			0.8	69.2	21.0	0.6	5.1	3.3	100.0
Maryland	0.3 1.7	69.1 82.6	14.8 6.9	1.0 4.1	5.0 1.8	9.8	100.0	0.4	72.0 79.6	17.7	0.5	3.7 2.1	5.6 1.7		1.5	68.1 76.7	22.3 17.0	0.6	5.9 3.2	2.5	100.0 100.0
Massachusetts Michigan	0.9	66.8	18.8	0.2	2.5			1.1	65.9	15.4 23.1	0.5	2.5		100.0	1.5			0.0	1.4	1.0 2.4	100.0
Minnesota	1.0	62.0	26.0	0.2	3.0	9.0	101.0	1.0	64.0	27.0	0.0	3.0			1.0	67.0	28.0	0.0	2.0	2.0	100.0
Mississippi	0.3	52.8	21.5	0.7	4.4	20.3	100.0	0.3	60.7	24.3		4.4			0.4	64.5		0.6	4.7	3.4	100.0
Missouri	0.8	52.7	15.6	0.7	3.1	27.1	100.0	0.5	60.0	24.2	0.5	4.4			0.3	60.1	28.6	0.3	4.6	6.1	100.0
Montana	0.5	47.6	29.6	0.7	2.9	18.7	100.0	1.6	47.5	38.9	0.6	3.2	8.2	100.0	1.8	45.1	44.5	0.6	4.2	3.8	100.0
Nebraska	0.2	45.8	18.9	0.1	2.2	32.8	100.0	0.6	56.4	30.1	0.1	2.9	9.9	100.0	0.5	48.5	41.1	0.2	3.9	5.7	100.0
Nevada	0.1	67.7	7.2	0.5	2.7	21.8	100.0	0.1	83.3	5.0	0.5	3.8			0.4	89.3	2.8	0.4	2.3	4.8	100.0
New Hampshire	1.0	60.0	31.0	0.0	4.0	4.0	100.0	2.0	68.0	21.0		5.0			2.0			1.0	5.0	2.0	99.0
New Jersey	0.1	72.2	16.2	0.4	3.1	8.1	100.1	0.2	79.6	14.9		2.6			0.3		25.3	0.1	2.9	1.7	100.0
New Mexico	6.0	38.6	15.7	5.9	9.5	24.3	100.0	1.5	45.9	28.6	2.7	12.6			1.2	54.3	30.8	1.5	8.4	3.8	100.0
New York	0.5	70.3	13.6	0.5	2.1	13.0 17.0	100.0	0.7	70.6	20.3		2.9			0.8	70.6 67.0	22.7	0.4	3.6	1.9	100.0
North Carolina North Dakota	0.0	65.0 45.7	13.0 25.4	1.0 1.7	3.0 6.8	17.u 17.4	99.0	1.0 1.9	68.0 44.0	18.0 31.8		5.0 6.8		101.0 100.0	1.0 1.4	44.3		1.0 0.9	6.0 6.7	3.D 9.4	100.0 100.0
Ohio	0.3	57.6	12.3	0.3	3.2	26.3	100.0	0.6	66.5	18.4		2.7			0.8	72.4		0.9	2.1	3.9	100.0
Oklahoma 3/	0.0	44.0	26.0	1.0	5.0	24.0	100.0	1.0	45.0	32.0	0.0	8.0			1.0	50.0	32.0	1.0	8.0	8.0	100.0
Oregon	0.5	45.9	23.8	0.2	3.7	25.9	100.0	1.0	51.4	32.0		6.8			0.9		37.8	0.7	7.3	2.6	100.0
Pennsylvania 2/	1.1	48.1	12.4	0.0	17.5	20.9	100.0	0.9	53.8	18.7	0.0	18.6			0.9	48.1	28.9	0.0	17.1	5.1	100.1
Rhode Island	0.1	60.4	26.2	0.6	3.1	9.6	100.0	0.6	76.1	19.1	0.1	1.9			0.6	76.3	20.3	0.1	1.8	0.9	100.0
South Carolina	0.5	68.9	13.9	0.7	2.5	13.5	100.0	0.6	72.0	17.8	0.5	3.6		100.0	0.6		21.4	0.5	4.6	5.6	100.0
South Dakota	2.0	55.0	22.0	0.0	19.0	3.0	101.0	1.0	53.0	29.0		14.0			2.0	40.0	48.0	0.0	9.0	2.0	101.0
Tennessee	1.1	58.0	16.2	0.6	3.7	20.4	100.0	1.6	64.0	26.3		2.9		100.0	0.4	72.1	24.2	0.1	1.9	1.3	100.0
Texas 3/	0.3	50.7	20.0	0.6	4.0	23.4	99.0	0.6	53.4	29.0		6.0			0.7	49.3	35.0	0.6	7.0	7.5	100.0
Utah	0.8	45.4 68.3	21.4	0.8	8.2 4.4	23.4 9.8	100.0	0.7	48.5	22.3	0.8	12.3		100.0	0.6	50.1 66.1	22.4 25.6	1.2 0.7	14.0	11.7	100.0 100.0
Vermont	0.8	68.3 65.2	15.3 15.4	1.4 0.7	1.4	9.8 17.0	100.0	1.7 0.5	66.4 70.7	22.2 21.3		5.2 1.8			1.4 0.6		25.6 24.2	0.7	4.9 2.1	1.3 1.7	100.0
Virginia Washington	0.3	57.3	24.1	0.7	1.4 5.6	17.0	100.0	0.5	57.9	28.3	0.8	7.1			1.0		31.9	0.7	Z.1 7.8	1.7	100.0
West Virginia	0.3	65.7	14.9	0.7	4.0	14.4	100.0	1.0	66.3	22.5	0.8	5.0			1.0	67.2	24.5	0.8	4.6	1.9	100.0
Wiscensin	0.4	63.3	13.2	1.0	6.5	15.8	100.2	0.9	64.0	20.5		6.0			1.0	59.2	30.5	0.9	5.9	2.6	100.1
Wyoming	0.3	34.3	29.9	0.5	1.8		100.0	0.4	45.5	42.6	0.5	2.3			0.3	36.9		0.5	3.1	9.2	100.0
Puerto Rico	0.5	79.6	10.2	1.6	2.6	5.5	100.0	0.4	75.8	15.7	1.2	4.4		100.0	0.5	83.4	12.3	0.4	2.5	0.9	100.0
For footnotes, see F	Footnotes Pa	ge.																			

End of Component 1_

TABLE VM-4

Component 2

Reconciling National Vehicle Registration Data Based on Axle Spacing and Tire Arrangements

Background

HPMS VMT by vehicle type data collected by State highway agencies are based on FHWA's 13 vehicle classification system (axle spacing, tire arrangement, and the number of axles criteria). However, vehicle registration data with State motor vehicle departments vary pending State registration laws and regulations. For similar vehicles, different State motor vehicle departments may register them under different vehicle types. Prior to 2009, the reconciliation of state vehicle registration data with the FHWA's classification was primarily based on the Vehicle Inventory and Use Survey (VIUS) data. However, the discontinuation of the VIUS after the 2002 edition hampered the continued use of such information.

The Policy Information Office has adopted the IHS Polk Vehicle Registration data to develop converting factors in place of the historical VIUS data. The IHS Polk data offers both the wheel-based specification (used for FHWA's 13 vehicle classification) and body type information.

Method

The IHS Polk method utilizes the Polk Vehicle Registration's axle spacing (wheelbase), body type, and gross vehicle weight rating (GVWR) data to establish vehicle split percentage data for Light-Duty Vehicle – Short Wheelbase, Light-Duty Vehicle – Long Wheelbase, Single Unit Truck and Combination Truck. This Polk derived percentage data are then applied to State supplied registered vehicle data to obtain the final counts of each of the four vehicle types.

Step 1

Obtain numbers of vehicles for both the "Light-duty Vehicles – Short Wheelbase" and the "Light-duty Vehicles – Long Wheelbase" vehicles from the *Polk Car (both Domestic and Import) Database*

"Light-duty Vehicles – Short Wheelbase" are defined as all light-duty vehicles with a wheelbase (axle spacing) less than or equal to 121 inches; The "Light-Duty Vehicles – Long Wheelbase" vehicles are defined as all light-duty vehicles having an axle spacing greater than 121 inches.

Step 2

Obtain numbers of vehicles for both the "Light-duty Vehicles – Short Wheelbase" and the "Light-duty Vehicles – Long Wheelbase" vehicles from the *Polk Light Truck Database*

The *Light Truck Database* includes vehicles with GVWR up to 13,000 lbs. It covers body types ranging from the pickup, van, sport utility vehicle (SUV), to other light-duty commercial vehicles.

Vehicles contained in the *Polk Light Truck Database* with a wheel base less than or equal to 121 inches are all counted as "Light-duty Vehicles – Short Wheelbase;" Vehicles with a wheelbase greater than 121 inches are counted as "Light-duty Vehicles – long wheel" vehicles.

Step 3

Obtain "Single Unit Truck" and "Combination Truck" Counts from the *Polk Heavy Truck Database*

Polk's Heavy Truck Database contains trucks with GVWR greater than 10,000 lbs. It is further divided into subgroups based on both body type and GVWR information (see Table below for example). The subgroup "Class 3" vehicle in the database overlaps with the Light Truck "Class 3". Consequently "Class 3" in the Light Truck database is removed from being considered as light trucks.

Combination trucks are these registered as "Tractors" and the remaining ones are considered as "Single Unit Trucks."

Step 4

Compute the Percentage Split Data among "Light-Duty Vehicles – Short Wheelbase", "Light-Duty Vehicles – Long Wheelbase", "Single Unit Truck" and "Combination Truck"

Sum up all vehicle counts data obtained from Steps 1, 2 and 3; and compute percentages of each vehicle types accordingly.

Step 5

Obtain Bus and Motorcycle Data

Bus and motorcycle data are obtained directly from MV-1.


Step	6

Obtain Final Vehicle Counts Data for All Six Vehicle

Types

Use Bus and Motorcycle data directly from Step 5

Multiply the percentage data obtained in Step 4 with the difference between MV-1 total and motorcycle and bus combined to obtain final counts for the remaining four types of vehicles.



Component 3

Vehicle Occupancy Factor Computation

Background

Vehicle occupancy factors (OF) are used to convert vehicle miles traveled (VMT) to person miles traveled (PMT) through a simple equation of VMT = Of ×VMT. The steps described below enable the computation of vehicle occupancy factors needed for the FHWA Office of Highway Policy Information Highway Statistics Series Annual VM-1 PMT production. The procedure described here is applicable to post 2008 FHWA Highway Statistics (HS) VM-1s.

Vehicle occupancy factors used for the single unit truck and combination truck are 1.000. The bus uses an occupancy factor of 21.200.

Occupancy factors for passenger vehicle-short wheelbase, passenger vehicle-long wheelbase, and motorcycle rely on information derived from the National Household Travel Survey (NHTS). Since the NHTS data is based on vehicle body types ((Car, Van, Sport Utility Vehicle (SUV), Pickup, Other (other truck and Recreational Vehicle (RV)) vs. the axle arrangement criteria used in VM-1, conversions are needed to transform the NHTS information to a VM-1 compatible form.

For motorcycle occupancy factor, VM-1 uses the information directly from the NHTS without further adjustment given the axle arrangement and body type matches.

Occupancy factors for VM-1's passenger vehicle-short wheelbase and passenger vehicle-long wheelbase vehicles are obtained by splitting each of the NHTS Car, Van, SUV, Pickup, Other (other truck and RV) vehicle type into long wheelbase and short wheelbase by using the IHS Polk vehicle registration data for the data year.

The overall underlying principles are: (a) the latest NHTS vehicle occupancy factors by vehicle types remain constant - meaning the travel behavior per vehicle type does not change, and (b) fleet composition (short and long wheelbase %), as revealed by Polk data, changes as time changes.

Computation Steps (Using the 2009 NHTS and 2009 HIS Polk to Illustrate the Technical Steps)

Step 1: Calculate baseline vehicle occupancy factors by vehicle type from the 2009 NHTS

Table 1. Baseline Occupancy Factors Calculated Directly from the 2009 NHTS.

Vehicle Type	PMT	VMT	VOF (Vehicle Occupancy Factor)
Car	1,828,613,444,953	1,182,999,145,905	1.546
OTH	46,927,873,966	38,541,943,102	1.218
PCP	511,775,053,212	344,427,266,543	1.486
SUV	886,541,396,186	467,216,433,196	1.897
Van	472,120,490,878	200,498,165,969	2.355

Motorcycle	13,261,841,833	11,428,498,249	1.160
iviotorcycic	13,201,011,033	11, 120, 130,2 13	1.100

The results in Table 1 match the NHTS vehicle occupancy publication at: https://nhts.ornl.gov/tables09/fatcat/2009/avo_TRPTRANS_WHYTRP1S.html

Step 2: Compute Short WB and Long WB percentages for each vehicle type categorized in Step 1 (Motorcycle excluded)

In this step, registered vehicles in IHS Polk data are divided into Long WB and Short WB for each of the 5 vehicle groups per the 2009 NHTS vehicle types (Car, Van, SUV, Pickup, Other (other truck and RV)). Vehicle types are determined first by the variable "Body_Style". If this variable cannot clarify, then variables "Make" and "Model" are further checked with the help of Google search (images).

To control the IHS Polk data quality, entries where "wheelbase" is missing or unknown, or "Body Style" is missing or unknown are excluded.

The results of this step (Using the IHS 2009 Polk Vehicle Registration Data as an example) are listed in Table 3 below.

Table 2. Percentage of Short WB and Long WB Vehicles from Polk Data (2009).

		Polk Data								
Vehicle Type	Short WB	Long WB	Total	% Short	% Long	Total				
Car	120676503	996111	121672614	99.18%	0.82%	1				
OTH	76704	386626	463330	16.55%	83.45%	1				
PCP	7940287	41452109	49392396	16.08%	83.92%	1				
SUV	47774099	4696709	52470808	91.05%	8.95%	1				
Van	16338392	5032936	21371328	76.45%	23.55%	1				

Step 3: Use the Short WB and Long WB percentages in Step 2 to split NHTS-based PMT and VMT

Table 3. Split NHTS PMT and VMT into Short WB and Long WB based on Polk Data.

	Allocate NHTS PMT and VMT to Short WB and Long WB						
Vehicle							
Туре	PMT*% Short	PMT*% Long	VMT*% Short	VMT*% Long			
Car	1,813,642,927,698.77	14,970,517,254.32	1,173,314,152,515.48	9,684,993,389.11			
OTH	7,768,881,023.59	39,158,992,942.02	6,380,595,264.08	32,161,347,838.07			
PCP	82,272,599,246.66	429,502,453,964.94	55,369,886,226.57	289,057,380,316.54			
SUV	807,186,282,112.63	79,355,114,072.90	425,395,471,972.24	41,820,961,223.60			
Van	360,936,374,716.21	111,184,116,161.41	153,280,958,061.54	47,217,207,907.75			

Step 4: Calculate Occupancy Factors for both SWB and LWB VM-1 Vehicle Groups (Using 2009 data as an example to illustrate the process)

Sum all PMT and VMT for Short WB in Table 3 respectively. Occupancy factors for Short WB is 1.6936.

Sum all PMT and VMT for Long WB respectively. Occupancy for Long WB is 1.6054. Table 4 summarizes of final occupancy factors used to update 2009-2016 VM-1.

Table 4. Final Vehicle Occupancy Factor to Update VM-1.

	Final Vehicle Occupancy Factor to Update VM-1									
Year	Light-duty Short WB	Light-duty Long WB	Motorcycle (directly from NHTS 2009 by PMT/VMT)							
2009	1.69363043363849	1.60539162528379	1.160418590841							
2010	1.69320244137584	1.60821716025690	1.160418590841							
2011	1.69302398147565	1.60943714233317	1.160418590841							
2012	1.69206481503303	1.61446758967126	1.160418590841							
2013	1.69093911313107	1.62019820493870	1.160418590841							
2014	1.69009653620133	1.62436146200579	1.160418590841							
2015	1.68931488184394	1.62818660049146	1.160418590841							
2016	1.68804406157679	1.63420751661132	1.160418590841							

2017 VM-1 Light-duty Short WB, Light-duty Long WB, Motorcycle Occupancy Factors

Table 5. 2017 Baseline Occupancy Factors Calculated from the 2017 NHTS

Veh_Type	PMT	VMT	VOF (Vehicle Occupancy Factor)
Car	1,695,490,736,997	1,103,124,117,266	1.53699
OTH	33,208,049,522	15,589,389,355	2.13017
PCP	438,002,024,459	293,659,547,216	1.49153
SUV	990,874,499,471	540,469,138,342	1.83336
Van	350,189,051,335	143,666,713,710	2.43751
zMC			1.20449

Table 6. 2017A Percentage of Short WB and Long WB Vehicles from Polk Data (2009).

		Polk Data								
Vehicle Type	Short WB	Long WB	Total	% Short	% Long	Total				
Car	113,934,361	961,863	114,896,224	99.16%	0.84%	1				
ОТН	48,785	343,046	391,831	12.45%	87.55%	1				
PCP	4,724,871	45,891,713	50,616,584	9.33%	90.67%	1				
SUV	70,980,796	4,998,840	75,979,636	93.42%	6.58%	1				
Van	10,667,358	6,648,424	17,315,782	61.60%	38.40%	1				

Table 7. 2017B Split NHTS PMT and VMT into Short WB and Long WB based on Polk Data.

	Allocate NHTS PMT and VMT to Short WB and Long WB						
Vehicle Type	PMT*% Short	PMT*% Long	VMT*% Short	VMT*% Long			
Car	1,681,296,799,633	14,193,937,364	1,093,889,224,805	9,234,892,461			
ОТН	4,134,575,100	29,073,474,422	1,940,960,158	13,648,429,197			

PCP	40,885,869,803	397,116,154,656	27,412,033,149	266,247,514,067
SUV	925,683,043,658	65,191,455,812	504,910,679,658	35,558,458,684
Van	215,733,368,454	134,455,682,881	88,505,634,214	55,161,079,496

Table 8. 2017c Split NHTS PMT and VMT into Short WB and Long WB based on Polk Data.

Vehicle Type	∑ (PMT)	∑ (VMT)	∑ (PMT)/ ∑ (VMT) (Occupancy Factor)
Short Wheelbase	3,661,412,954,110	2,191,764,138,284	1.6705
Long Wheelbase	1,108,622,877,627	657,954,081,275	1.6850
MC (directly from 2	2017 NHTS)	1.2044	

Vehicle Occupancy Factors Used in VM-1

The above computed 1.6705, 1.6850, and 1.2944 values are used to convert the 2017 VMT to 2017 PMT (personal miles traveled) for the Short Wheelbase, Long Wheelbase, and Motorcycle vehicle groups.

Note:

The assumption is that VMTs generated by a given vehicle type (Car, Van, SUV, Pickup, Other (other truck and RV) for its two subcategories – long wheeled based and short wheelbase vehicles are the same. For example, a long wheelbase car and a short wheelbase car would travel the same distance because both are under the vehicle type "car."



Component 4

Fuel Efficiency Modeling - Vehicle Stock Model and Reconciliation Model for Fuel Economy (MPG)

Background

Vehicle Stock Models utilize historical data to establish fuel economy of different vehicle categories. The Reconciliation Model utilizes optimization techniques to further enhance the stock models and ensures that fuel consumptions match VMT, total fuel consumed, and continuity from previous years in VM-1 table. The sensitivity analysis shows that the sensitivities of the model are within reasonable ranges and solutions are stable.

The vehicle stock models (Sheets: "Light-duty Vehicle – Short Wheelbase", "Light-duty Vehicle – Long Wheelbase", "Motorcycle", "Bus", and "Truck") are used to estimate preliminary fuel consumption and fuel efficiency by vehicle type. Vehicle stock models use various data sources of different agencies and organizations to estimate the fleet fuel efficiency. Organizations and agencies publish their data once every 1 to 5 years. Here is a summary of updating procedures of vehicle stock models.

Light-duty Vehicle – Short Wheelbase and Light-duty Vehicle – Long Wheelbase share the same data source. EPA annually publishes MPG data by model year for cars and light trucks in *Light-duty Automotive Technology, Carbon Dioxide Emissions, and Fuel Economy Trends:* 1975-2009¹. The vehicle population data is from Polk's National Vehicle Population Profile, and this data is available annually. The VMT data is from the NHTS (National Household Travel Survey) program²,

¹ More information and data can be found at http://www.epa.gov/otaq/fetrends.htm.

² More information on National Household Transportation Survey can be found at http://nhts.ornl.gov/ or http://www.bts.gov/programs/national_household_travel_survey/ or http://www.fhwa.dot.gov/policy/ohpi/nhts/index.cfm.

and it is only available for 2001 and 2009. The VMT data for years other than 2001 and 2009 is estimated using linear interpolation of 2001 and 2009. This method will be used for future updating when the NHTS is not available.

The stock model for buses is divided into three categories: transit bus, school bus, and motor coach. The data for transit buses is obtained from the American Public Transit Association's Transit Fact Book, Appendix A³. Specifically, the sources are as follows: VMT - from Table 6, population - from Table 17, Fuel Type % - from Table 26, Fuel consumed - from Table 32. VMT and population data for school buses is available from the School Bus Fleet website⁴ for 1999, 2002, 2003, 2004, 2005, and 2007. Missing VMT and population data is estimated using linear interpolation. MPG data for school buses is from the DOE report Economic Analysis of Alternative Fuel School Buses. This report gives MPG by type of school bus: type A, type C, type D. The School Bus Fleet website also gives data on the total number of school buses by type. This population data is used to find a weighted average of MPG for all school buses using the MPG data from the DOE report. Motor coach data is from the *Motorcoach Census*⁵ published in 2009, 2008, 2006, and 2005. For years, during which the Motorcoach Census is not published, the VMT, population, and fuel consumption data is estimated using linear interpolation of available years. All calculation methods are in excel files, and further explanation of the data estimating procedure is given in these excel files.

Motorcycles are divided into 5 categories based on the engine size. These engine size categories are defined as: 0-124cc, 125-349cc, 350-449cc, 450-749cc, and 750cc or greater. The MPG data comes from the Total Motorcycle Fuel Economy Guide. VMT and population are from the NHTS. The motorcycle data from the NHTS should be handled the same as the Light-duty Vehicle – Short Wheelbase and Light-duty Vehicle – Long Wheelbase data from the NHTS.

All heavy truck data is from VIUS (Vehicle Inventory and Use Survey)⁶⁷. The file includes both 2002 and 2007 data. The missing data is estimated using linear interpolation of these two years. For data by fuel type, fuel type 01 is gasoline and fuel types 02-15 are included in special fuels.

Some of data sources require a fee or membership to download. Updating the stock model requires approximately 40 FTE (full time equivalent). All models can be updated every year if new data is available.

The Reconciliation Model

³ An electronic copy of the annual Transit Fact Book can be found at http://www.apta.com/resources/statistics/Pages/transitstats.aspx.

⁴ More information can be found at http://www.schoolbusfleet.com/.

⁵ More information can be found at http://www.buses.org/foundationresearch.

⁶ Electronic copies of the Vehicle Inventory and Use Survey results by survey year can be found at http://www.census.gov/svsd/www/vius/products.html.

⁷ Estimation of 2007 VIUS Variables, Battelle Memorial Institute, Columbus Ohio, October 2009.

The VMT and MPG reconciliation model (Sheet "VM-1") uses the results of the Vehicle Stock Model and data from Table VM-1 of the previous year, and VMT data from HPMS for the current year to provide fuel efficiency estimates for the current year. The VMT and MPG reconciliation model is implemented using the Excel Solver. The output is fuel efficiency estimates for the current year. The fuel consumed is calculated using VMT data of VM-1 for the current year and the fuel efficiency estimates (MPG, output of this model) for the current year.

The Excel Solver is set up to minimize the deviations of fuel efficiency from the previous year's estimates (published in Table VM-1) and from the results of the vehicle stock model. The model is subject to the constraint that fuel consumption estimates must sum to the current year's fuel consumption. The model comes with current year as 2008 and previous year 2007.

The input parameters include results of vehicle stock model (green cells), light green represents output from stock model, and is considered as recommended value. The total fuel consumed from table MF-21 (orange cells) is also an important parameter. The reconciliation model (MPG estimates) is highly sensitive to stock model results. Therefore, it is important to have a set of well-estimated fuel efficiency data from stock model for each vehicle category. Another set of important parameters are MPG from the previous year from MV-1 table.

Other data in VM-1 table may not have effects on MPG, however, they affect the total fuel consumed. These data are total VMT for each vehicle category.

The optima solver is programmed into two buttons: solve and reset.

The solve button will start optima procedure, a message pops up to show if a solution has been found. It is possible that a solution cannot be achieved after thousands of iterations. This indicates that the model is not set up properly. The reset button turns the numbers back to its original values.

Sample of Stock Model for 2008

Vehicle Stock Model

Light-duty Vehicle – Short Wheelbase

Light daty vehicle bhort wheelbase								
Gasoline	Gasoline							
			VMT_y per		Fuel			
		VMT_yf total	vehicle		consumption_y			
Model year	Pop_yf	(miles)	(miles)	MPG_yf	f total (gallons)			
2008/2009	8,771,846	100,861,110,872	11,498	21.8	4,634,581,102			
2007	11,148,222	143,287,030,261	12,853	24.0	5,958,919,031			
2006	11,206,791	146,351,496,759	13,059	23.2	6,299,539,012			
2005	11,460,983	136,591,662,040	11,918	23.3	5,863,562,291			
2004	10,829,564	120,437,203,952	11,121	22.7	5,296,929,122			
2003	10,642,021	117,111,550,267	11,005	22.8	5,135,299,290			

2002	10,958,497	117,957,872,865	10,764	22.6	5,227,127,200
2001	10,450,060	109,938,511,016	10,520	23.0	4,770,475,801
2000	11,337,902	109,536,437,535	9,661	22.7	4,816,660,305
1999	10,202,527	94,423,734,106	9,255	22.5	4,191,970,766
1998	9,429,798	84,397,020,771	8,950	22.9	3,679,269,375
1997	8,929,375	74,913,181,283	8,390	23.0	3,252,677,671
1996	7,877,145	67,037,047,046	8,510	23.2	2,889,667,779
1995	8,427,365	63,782,928,635	7,569	23.1	2,762,952,029
1994	7,117,556	50,626,719,126	7,113	22.6	2,235,731,649
1993	6,344,347	45,573,192,604	7,183	23.3	1,958,798,935
1992	5,362,405	31,770,922,693	5,925	22.8	1,395,601,874
1991	4,845,331	32,265,308,218	6,659	23.0	1,402,289,920
1990	4,213,227	26,340,879,765	6,252	23.0	1,144,716,898
1989	3,852,916	21,236,197,413	5,512	22.8	930,897,789
1988	3,149,104	15,313,679,693	4,863	23.0	666,085,854
1987	2,589,966	13,360,375,059	5,159	22.4	595,175,924
1986	2,074,771	9,585,970,873	4,620	22.6	423,345,683
1985	1,424,693	6,263,573,316	4,396	22.1	283,552,890
1984 and older	4,495,767	16,256,082,987	3,616	19.4	837,266,157

Gasoline

Total VMT 1,755,219,689,15 (miles) **Total MPG** 22.9

Total fuel consumed

(gallons) 76,653,094,347

Passenger Car Avg MPG

23.1 Total VMT (miles) 1,874,151,754,974 Total fuel consumed (gallons) 81,045,200,237

Motorcycle:

Vehicle Stock Model

V CHITCIC DUCC.	11 1/10 0101				
under 125 cc					
		VMT_ye	VMT_ye per		Fuel consumption_yf
Model year	Pop_ye	total (miles)	vehicle (miles)	MPG_ye	total (gallons)
2008	7,018	15,232,744	2,171	96.7	157,526
2007	11,670	22,478,517	1,926	96.7	232,456
2006	27,224	54,126,100	1,988	90.0	601,401
2005	11,679	22,757,072	1,949	118.0	192,857
2004	15,103	22,603,839	1,497	118.0	191,558
2003	4,962	7,124,068	1,436	118.0	60,373
2002	3,383	4,685,579	1,385	118.0	39,708

2001	4,633	35,822,283	7,732	118.0	303,579
2000	6,065	7,599,873	1,253	118.0	64,406
1999	6,363	12,303,852	1,934	118.0	104,270
1998 and older	91,445	209,884,285	2,295	118.0	1,778,680

Total VMT

(miles) 414,618,213 Total MPG 111.3

Total fuel consumed

(gallons) 3,726,814

Bus

Vehicle Stock Model

Gasoline				
Bus Type	Pop_f	VMT_f	Fuel consumption_f	MPG_f
School	18,748	186,186,656		6.36
Transit	333	11,882,500	3,800,000	3.13
Motorcoach	0			

Gasoline

Total VMT 198,069,156
Total MPG 6.4
Total fuel consumed 31,162,927

 Bus Avg MPG
 7.228834388

 Total VMT (miles)
 8,161,851,889

 Total fuel consumed (gallons)
 1,129,068,872

$Light\text{-}duty\ Vehicle-Long\ Wheelbase$

Vehicle Stock Model

Light Duty Vehicle - Long Wheelbase

Gasoline							
			VMT_y				
			per		Fuel consumption_yf		
Model year	Pop_yf	VMT_y total	vehicle	MPG_yf	total (gallons)		
2009/2010	490,823	8,302,028,293	16,915	16.4	505,327,709		
2008	1,511,046	26,278,102,301	17,391	15.7	1,672,092,713		
2007	1,761,843	25,542,058,580	14,497	17.2	1,484,628,535		
2006	2,016,145	26,364,317,770	13,077	17.1	1,544,572,231		
2005	2,237,680	29,096,652,482	13,003	16.4	1,779,342,429		
2004	2,538,051	30,195,311,434	11,897	16.4	1,844,410,599		

2003	2,393,927	29,936,950,005	12,505	16.5	1,814,131,970
2002	2,182,686	22,721,579,335	10,410	16.6	1,370,538,837
2001	2,350,926	23,971,717,596	10,197	16.9	1,422,135,543
2000	2,089,451	21,203,154,187	10,148	17.1	1,241,054,159
1999	1,980,056	17,447,818,511	8,812	16.3	1,072,052,576
1998	1,643,877	12,522,781,257	7,618	16.8	743,199,765
1997	1,766,682	13,565,469,463	7,679	17.0	798,195,697
1996	1,266,492	8,586,436,595	6,780	16.9	508,184,509
1995	1,397,928	9,559,176,040	6,838	16.6	575,274,294
1994	1,306,538	7,731,254,647	5,917	16.7	463,079,121
1993	918,145	6,576,242,724	7,163	16.6	396,209,297
1992	757,934	3,722,535,200	4,911	16.5	226,081,455
1991	599,113	3,496,336,014	5,836	16.8	207,824,583
1990	695,995	4,127,957,751	5,931	16.5	250,774,030
1989	709,058	3,055,978,447	4,310	16.3	187,776,510
1988	622,462	2,329,741,301	3,743	17.1	136,406,666
1987	372,340	1,222,623,990	3,284	16.5	74,185,195
1986	454,184	1,555,326,044	3,424	16.7	93,405,649
1985 and older	2,047,007	5,829,435,940	2,848	15.4	379,410,149

Gasoline

Total VMT 344,940,985,907 Total MPG 16.6

Total fuel

consumed 20,790,294,221

Light Truck Avg MPG

17.2

Total VMT (miles) 433,434,710,727 Total fuel consumed (gallons) 25,246,547,879

Vehicle Stock Mode					
Heavy Truck					
Single-unit 2-axle 6-t	ire or more				
Gasoline					
Model year	Pop_yf	VMT_y pe	VMT_yf total (MPG_yf	Fuel Consum
2007/2008		36,928	102,085,200	6.3	16,286,520
2006	6,177	40,487	250,080,230	6.4	39,306,469
2005	,	37,195		6.3	49,340,173
2004	,	36,025		6.5	52,919,404
2003	4,498	33,464		6.1	24,514,714
2002	6,841	23,318		6.1	25,947,254
2001	,	22,026		5.8	17,854,110
2000	,	19,970		6.4	18,046,486
1999	6,503	15,287		6.5	15,212,964
1998	2,731	15,522	42,397,690	6.5	6,538,403
1997	1,432	12,809		6.7	2,755,583
1996	1,607	13,864		6.2	3,583,907
1995	1,152	12,811	14,763,692	6.3	2,334,666
1994	,	10,850		5.9	3,865,289
1993	1,309	10,551	13,812,309	5.6	2,452,773
1992	1,678	9,549	16,025,371	5.6	2,859,634
1991 and older	126,140	4,748	598,907,187	5.8	103,819,094
Gasoline					
Total VMT	2,385,514,425				
Total MPG	6.15				
Total fuel consumed	387,637,442				
Total faci consumed	307,037,442				
Single-unit truck Av	MPG	7.369322			
ombie ame dack Av	5 1411 G	7.303322			
Combination					
Gasoline					
Model year	Pop_yf	VMT y pe	VMT_yf total (MPG yf	Fuel Consume
2007/2008		54,365		5.1	C
2006				4.9	25,248
2005				5.0	302,473
2004				5.0	246,695
2003		37,609		4.9	Č
2002		32,816		4.9	2,722,992
2001		27,451		4.9	1,468,632
2000		25,305		5.0	145,859
1999		20,699		5.0	982,686
1998		19,079		4.9	Č
				4.9	94,925
1997		16,108	461,204	4.9	
1997 1996	29	16,108 13,486	,	5.0	
	29 59	16,108 13,486 11,046	801,503		159,413
1996	29 59 29	13,486	801,503 316,279	5.0	159,413 63,978
1996 1995	29 59 29 200	13,486 11,046 11,263	801,503 316,279 2,252,369	5.0 4.9	159,413 63,978 458,004
1996 1995 1994	29 59 29 200 888	13,486 11,046 11,263 9,735	801,503 316,279 2,252,369 8,641,055	5.0 4.9 4.9	159,413 63,978 458,004 1,768,137
1996 1995 1994 1993	29 59 29 200 888 109	13,486 11,046 11,263 9,735	801,503 316,279 2,252,369 8,641,055 1,135,546	5.0 4.9 4.9 4.9	159,413 63,978 458,004 1,768,137 239,231
1996 1995 1994 1993 1992	29 59 29 200 888 109	13,486 11,046 11,263 9,735 10,396	801,503 316,279 2,252,369 8,641,055 1,135,546	5.0 4.9 4.9 4.9 4.7	159,413 63,978 458,004 1,768,137 239,231
1996 1995 1994 1993 1992	29 59 29 200 888 109	13,486 11,046 11,263 9,735 10,396	801,503 316,279 2,252,369 8,641,055 1,135,546	5.0 4.9 4.9 4.9 4.7	159,413 63,978 458,004 1,768,137 239,231
1996 1995 1994 1993 1992 1991 and older	29 59 29 200 888 109	13,486 11,046 11,263 9,735 10,396	801,503 316,279 2,252,369 8,641,055 1,135,546	5.0 4.9 4.9 4.9 4.7	159,413 63,978 458,004 1,768,137 239,231
1996 1995 1994 1993 1992 1991 and older Gasoline Total VMT	29 59 29 200 888 109 8,884	13,486 11,046 11,263 9,735 10,396	801,503 316,279 2,252,369 8,641,055 1,135,546	5.0 4.9 4.9 4.9 4.7	159,413 63,978 458,004 1,768,137 239,231
1996 1995 1994 1993 1992 1991 and older Gasoline	29 59 29 200 888 109 8,884 97,130,939	13,486 11,046 11,263 9,735 10,396	801,503 316,279 2,252,369 8,641,055 1,135,546	5.0 4.9 4.9 4.9 4.7	159,413 63,978 458,004 1,768,137 239,231
1996 1995 1994 1993 1992 1991 and older Gasoline Total VMT Total MPG	29 59 29 200 888 109 8,884 97,130,939 4.92	13,486 11,046 11,263 9,735 10,396	801,503 316,279 2,252,369 8,641,055 1,135,546	5.0 4.9 4.9 4.9 4.7	159,413 63,978 458,004 1,768,137 239,231 11,046,741
1996 1995 1994 1993 1992 1991 and older Gasoline Total VMT Total MPG	97,130,939 4.92 19,725,013	13,486 11,046 11,263 9,735 10,396	801,503 316,279 2,252,369 8,641,055 1,135,546 54,492,812	5.0 4.9 4.9 4.9 4.7	159,413 63,978 458,004 1,768,137 239,231

Heavy Truck

Vehicle Stock Model

Heavy

Truck

Single-unit 2-axle 6-tire or more						
Gasoline						
			VMT_yf		Fuel Consumed_yf	
	5	VMT_y per	total		total (gallons)	
Model year	Pop_yf	truck (miles)	(miles)	MPG_yf		
2007/2008	2,764	36,928	102,085,200	6.3	16,286,520	
2006	6,177	40,487	250,080,230	6.4	39,306,469	
2005	8,385	37,195	311,871,413	6.3	49,340,173	
2004	9,560	36,025	344,405,971	6.5	52,919,404	
2003	4,498	33,464	150,536,243	6.1	24,514,714	
2002	6,841	23,318	159,517,266	6.1	25,947,254	
2001	4,661	22,026	102,664,600	5.8	17,854,110	
2000	5,797	19,970	115,754,544	6.4	18,046,486	
1999	6,503	15,287	99,410,777	6.5	15,212,964	
1998	2,731	15,522	42,397,690	6.5	6,538,403	
1997	1,432	12,809	18,343,310	6.7	2,755,583	
1996	1,607	13,864	22,276,582	6.2	3,583,907	
1995	1,152	12,811	14,763,692	6.3	2,334,666	
1994	2,089	10,850	22,662,040	5.9	3,865,289	
1993	1,309	10,551	13,812,309	5.6	2,452,773	
1992	1,678	9,549	16,025,371	5.6	2,859,634	
1991 and						
older	126,140	4,748	598,907,187	5.8	103,819,094	

Gasoline

Total VMT 2,385,514,425 Total MPG 6.15

Total fuel

consumed 387,637,442

Single-unit truck Avg

MPG 7.369322

Combination						
Gasoline						
Model year	Pop yf	VMT_y per	VMT_yf total (miles)	MPG yf	Fuel Consumed_yf total (gallons)	
2007/2008	0	truck (miles) 54,365	(1111163)	5.1	0	
2006	2	57,661	124,933	4.9	25,248	
2005	29	52,652	1,507,563	5.0	302,473	
2004	29	42,875	1,227,602	5.0	246,695	

2003	0	37,609	0	4.9	0
2002	409	32,816	13,406,138	4.9	2,722,992
2001	261	27,451	7,173,932	4.9	1,468,632
2000	29	25,305	724,550	5.0	145,859
1999	235	20,699	4,865,452	5.0	982,686
1998	0	19,079	0	4.9	0
1997	29	16,108	461,204	4.9	94,925
1996	59	13,486	801,503	5.0	159,413
1995	29	11,046	316,279	4.9	63,978
1994	200	11,263	2,252,369	4.9	458,004
1993	888	9,735	8,641,055	4.9	1,768,137
1992	109	10,396	1,135,546	4.7	239,231
1991 and					
older	8,884	6,134	54,492,812	4.9	11,046,741

Gasoline

Total VMT 97,130,939 Total MPG 4.92

Total fuel

consumed 19,725,013

Combination truck Avg MPG 5.955711

Reconciliation Model

								1 MIOU	61						
ANNUAL VEHICLE DISTANCE TRAVELED IN MILES AND RELATED DATA - 20XX 1/ BY HIGHWAY CATEGORY AND VEHICLE TYPE															
										TABLE VM-1					
			MOTOR-	BUSES	OTHER 2-AXLE 4-TIRE		COMBINATION	SUBTOTALS							
YEAR	ПЕМ	PASSENGER						PASSENGER CARS AND	SINGLE-UNIT 2-AXLE 6-TIRE OR MORE AND COMBINATION	ALL MOTOR VEHICLES 2/					
		CARS	CYCLES		VEHICLES 3/	TRUCKS 4/	TRUCKS	OTHER 2-AXLE 4-TIRE VEHICLES	TRUCKS						
	Motor-Vehicle Travel: (millions of vehicle-miles)														
Current Previous	Interstate Rural														
2009 Previous	Other Arterial Rural														
2009 Previous	Other Rural														
2009 Previous	All Rural														
2009 Previous	Interstate Urban												_		
2009 Previous	Other Urban														
2009 Previous	All Urban														
2009 Previous	Total Rural and Urban	2,032,374 2,011,363	20,504 19,527	13,534 14,798	620,986 617,258	121,088 126,729	169,105 183,834	2,653,360 2,628,621	290,193 310,563	2,977,591 2,973,509					
2009	Number of motor vehicles	193,977,122	7,929,724	841,993	42,644,831	6,202,891	2,616,049	236,621,953	8,818,940	254,212,610					
Previous	registered 5/	196,817,650	7,752,926	843,308	41,734,136	6,185,018	2,584,627	238,551,786	8,769,644	255,917,664					
2009 Previous	Average miles traveled per vehicle	10,477 10,219	2,586 2,519	16,073 17,548	14,562 14,790	19,521 20,490	64,641 71,126	11,213 11.019	32,906 35,413	11,713 11,619					
2009	Person-miles of travel 6/	3,217,285	23.301	286.915	898.451	121.088	169,105	4,115,737	290.193	4,716,146					
Previous	(millions)	3,177,954	24,799	313,749	1,070,127	126,729	183,834	4,115,737	310,563	4,897,191					
2009	Fuel consumed	85,559,036	474,909	1,868,786	35,766,843	16,341,600	28,128,858	121,325,879	44,470,458	168,140,031					
Previous	(thousand gallons)	84,742,620	459,371	2,059,292	35,781,330	17,145,119	30,577,571	120,523,950	47,722,690	170,765,303					
2009	Average fuel consumption per	441	61 59	2,237	844 850	2,641	10,752	514	5,047	661					
Previous 2009	vehicle (gallons) 7/	431 23.8	43.2	2,442 7.2	17.4	2,772	11,831	505 21.9	5,442 6.5	667 17.7		SOLVE		 RES	ET
Previous	Average miles traveled per gallon of fuel consumed 7/	23.7	42.5	7.2	17.3	7.4	6.0	21.8	6.5	17.4					
1/ The 50 states and the District of Columbia report travel by highway category, number of motor vehicles registered, and total fuel consumed. The travel and fuel data by vehicle type and stratification of trucks are estimated by the Federal Highway Administration (FHVIA). Estim ation procedures include use of State supplied data, the 2002 Census of Transportation Vehicle Inventory and Use Survey (VIUS), and other sources. 2 Totals by highway category are from table VIAL-2 Some changes between rural and urban roadways can be attributed to 2002 census boundary changes. 3 Other 2-Asto 4-Tire Vehicles which are not passenger cans. These include vans, pickup trucks, and sportfullity vehicles. 4 Single-Viul 2-Acto 4-Tire Vehicles can be a represented and six ties.															
5/ Truck registration figures are from tables MV-1 and MV-9 with truck distribution estim ated by the FHWA.															
7/ Total fue	occupancy is estimated by the FHWA el consumption figures are from tables ate-supplied data, the 2002 VIUS, and	MF-21 and MF-27.	Distribution by vehic	de type is estimate	ed by the FHWA bas				vehicles						

End of Component 4